Approvals

Qualicoat Approvals 2019 - Italy (Como)





TRINAR[®] Interpon.

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 05.02.2007
Approval valid until: 31.12.2019

System name: Interpon D1036 matt

Valid only for Sublimation:

Gloss Category:

Class:

Structured Finished:

Extension for P/P:

Extension for sublimation:

Mo

Metallic colours approved:

No

Yes

Banned colours: -

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-0735**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 24.08.2007
Approval valid until: 31.12.2019

System name: Interpon D1036 Satin

Valid only for Sublimation:

Ross Category:

Class:

Structured Finished:

Extension for P/P:

No

Extension for sublimation:

Metallic colours approved:

No

No

Yes

Banned colours: -

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-0772**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 24.08.2007
Approval valid until: 31.12.2019

System name: Interpon D1036 Gloss

Valid only for Sublimation:

Ross Category:

Class:

Structured Finished:

Extension for P/P:

No

Extension for sublimation:

Metallic colours approved:

No

No

Yes

Banned colours: -

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-0773**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 24.10.2008
Approval valid until: 31.12.2019

System name: Interpon D1036 STF Matt

Valid only for Sublimation:

Gloss Category:

Class:

Structured Finished:

Extension for P/P:

Extension for sublimation:

Metallic colours approved:

Banned colours:

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-0826**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 30.12.2008
Approval valid until: 31.12.2019

System name: Interpon D1036 STF Texture

Valid only for Sublimation: Yes
Gloss Category: 1
Class: 1

Structured Finished: Yes (Textured)

Extension for P/P:

Extension for sublimation:

No
Metallic colours approved:

No
Banned colours:

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-0841**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 26.06.2009
Approval valid until: 31.12.2019

System name: Interpon D2525 Textured

Valid only for Sublimation:

Gloss Category:

Class:

No

2

Structured Finished: Yes (Textured)

Extension for P/P:

Extension for sublimation:

No

Metallic colours approved:

Banned colours:

No

Yes

5007*

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-0877**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 26.06.2009
Approval valid until: 31.12.2019

System name: Interpon D1036 Textured

Valid only for Sublimation:

Gloss Category:

Class:

No

Structured Finished: Yes (Textured)

Extension for P/P: No
Extension for sublimation: No
Metallic colours approved: Yes

Banned colours: -

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-0878**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 22.03.2013
Approval valid until: 31.12.2019

System name: Interpon D2525 Satin

Banned colours: -

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-1140**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 08.11.2013
Approval valid until: 31.12.2019
System name: D2525 SD

Valid only for Sublimation:NoGloss Category:3Class:2Structured Finished:NoExtension for P/P:NoExtension for sublimation:NoMetallic colours approved:Yes

Banned colours: -

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-1177**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 21.01.2014
Approval valid until: 31.12.2019

System name: Interpon D2525 STF

Valid only for Sublimation:

Gloss Category:

Class:

Structured Finished:

Extension for P/P:

Extension for sublimation:

Mo

Metallic colours approved:

Banned colours:

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-1189**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL

Date of issue of the Approval: 27.02.2014

Approval valid until: 31.12.2019

System name: Interpon D2525 Matt

Valid only for Sublimation:

Ross Category:

Class:

Structured Finished:

Extension for P/P:

Extension for sublimation:

No

Metallic colours approved:

No

No

Yes

Banned colours: -

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-1212**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 02.02.2017
Approval valid until: 31.12.2019

System name: Interpon D1036 Coarse Texture

Valid only for Sublimation:

Gloss Category:

Class:

No

1

Structured Finished: Yes (Leathered)

Extension for P/P: No
Extension for sublimation: No
Metallic colours approved: Yes

Banned colours: -

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-1306**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 05.10.2015
Approval valid until: 31.12.2019

System name: Interpon D2015 Précis

Valid only for Sublimation:

Ross Category:

Class:

Structured Finished:

Extension for P/P:

No

Extension for sublimation:

No

Metallic colours approved:

No

Banned colours:

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-1309**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 04.03.2016
Approval valid until: 31.12.2019

System name: Interpon D1200 STF Matt

Valid only for Sublimation:

Gloss Category:

Class:

Structured Finished:

Extension for P/P:

No

Extension for sublimation:

Metallic colours approved:

Yes

No

No

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-1336**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Banned colours:

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 04.03.2016
Approval valid until: 31.12.2019

System name: Interpon D1200 STF Texture

Valid only for Sublimation: Yes
Gloss Category: 1
Class: 1

Structured Finished: Yes (Textured)

Extension for P/P:

Extension for sublimation:

No
Metallic colours approved:

No
Banned colours:

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-1337**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 29.05.2017
Approval valid until: 31.12.2019

System name: Interpon D2525 Gloss

Valid only for Sublimation:

Ross Category:

Class:

Structured Finished:

Extension for P/P:

Extension for sublimation:

No

Metallic colours approved:

No

Yes

Banned colours: -

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-1429**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President

for coating materials

The Association for Quality Controls in the Lacquering, Painting and Coating Industry, abbreviated to QUALICOAT, hereby grants an approval based on the test results

Report submitted by (Testing laboratory): QUALITAL
Date of issue of the Approval: 29.12.2017
Approval valid until: 31.12.2019

System name: Interpon D2525 STF Textured

Valid only for Sublimation: Yes
Gloss Category: 1
Class: 2

Structured Finished: Yes (Textured)

Extension for P/P:

Extension for sublimation:

No
Metallic colours approved:

No
Banned colours:

Manufactured by the company: Akzo Nobel Coatings (CO)
Place: IT - 22100 Como (CO)

P-No: **P-1477**

This product may be described and labelled as follows

Product tested and approved for the quality mark



and may therefore be offered to all companies holding the quality label for paint, lacquer and powder coatings on aluminium for architectural applications

Zurich, 1 January 2019

QUALICOAT

Mohammed C. Panam

President