



Pre-lacquered BL-Andreu



Pre-lacquered GR-Andreu



PVC Film Chestnut



PVC Film Old Oak



Stainless steel AISI 430 / 304 / 316



Powder coated





Office

1 and 2 Leaf Door

STRUCTURE

Two 0.6mm galvanized steel sheets assembled without welding (A).

Leaf thickness: 50mm.

16mm overlap.

Inner chamber: High-pressure injected polyurethane (B).

3 stainless steel hinges (C).

2 anti-crow bar bolts (D).

FRAME

CS4 corner frame.

CSO corner frame.

CO7 and CO9 non-corner frames.

CR8 non-corner frame.

Incorporates chloroprene seal 3x13mm.

LOCKING AND DRIVING SYSTEM

Stainless steel lock embedded in the leaf (E).

Nickel cylinder 30x40 (F).

Set rosette handle + rosette with stainless steel escutcheon (G).






Other hardware options:

-Stainless steel thumb turn cylinder (H).


In the Office double leaf model, 2 embedded bolts are placed on the edge of the leaf as the drive in the inactive leaf (I).

BASEBOARD

Optionally: Stainless steel baseboard in 2 versions, single or double, and plain or ventilated (H).




Smooth baseboard




Ventilated baseboard

MEASUREMENTS ONE LEAF

SECTION A-A'



SECTION B-B'




Frame	Order Size		Clear Opening		Internal Frame		Overall (Ext. Frame)	
	Width	Height	Width	Height	Width	Height	Width	Height
CS4 / CSO	790	2090	700	2045	770	2080	810	2100
	790	2145	700	2100	770	2135	810	2155
	890	2090	800	2045	870	2080	910	2100
	890	2145	800	2100	870	2135	910	2155
	990	2090	900	2045	970	2080	1010	2100
	990	2145	900	2100	970	2135	1010	2155
	1090	2090	1000	2045	1070	2080	1110	2100
	1090	2145	1000	2100	1070	2135	1110	2155
CO7 / CO9	810	2100	700	2045	810	2100	810	2100
	810	2155	700	2100	810	2155	810	2155
	910	2100	800	2045	910	2100	910	2100
	910	2155	800	2100	910	2155	910	2155
	1010	2100	900	2045	1010	2100	1010	2100
	1010	2155	900	2100	1010	2155	1010	2155
	1110	2100	1000	2045	1110	2100	1110	2100
	1110	2155	1000	2100	1110	2155	1110	2155
CR8	820	2110	700	2045	820	2110	820	2110
	820	2160	700	2100	820	2160	820	2160
	920	2110	800	2045	920	2110	920	2110
	920	2160	800	2100	920	2160	920	2160
	1020	2110	900	2045	1020	2110	1020	2110
	1020	2160	900	2100	1020	2160	1020	2160
	1120	2110	1000	2045	1120	2110	1120	2110
	1120	2160	1000	2100	1120	2160	1120	2160

Standard measurements in millimeters. Possibility of other measurements on request.




MEASUREMENTS DOUBLE LEAF

SECTION A-A'



SECTION B-B'



Frame	Order Size		Clear Opening		Internal Frame		Overall (Ext. Frame)	
	Width	Height	Width	Height	Width	Height	Width	Height
CS4 / CSO	1530	2090	1440	2045	1510	2080	1550	2100
	1530	2145	1440	2100	1510	2135	1550	2155
	1730	2090	1640	2045	1710	2080	1750	2100
	1730	2145	1640	2100	1710	2135	1750	2155
	1930	2090	1840	2045	1910	2080	1950	2100
	1930	2145	1840	2100	1910	2135	1950	2155
	2090	2090	2000	2045	2070	2080	2110	2100
	2090	2145	2000	2100	2070	2135	2110	2155
Frame	Width	Height	Width	Height	Width	Height	Width	Height
CO7 / CO9	1550	2100	1440	2045	1550	2100	1550	2100
	1550	2155	1440	2100	1550	2155	1550	2155
	1750	2100	1640	2045	1750	2100	1750	2100
	1750	2155	1640	2100	1750	2155	1750	2155
	1950	2100	1840	2045	1950	2100	1950	2100
	1950	2155	1840	2100	1950	2155	1950	2155
	2110	2100	2000	2045	2110	2100	2110	2100
2110	2155	2000	2100	2110	2155	2110	2155	
Frame	Width	Height	Width	Height	Width	Height	Width	Height
CR8	1560	2110	1440	2045	1560	2110	1560	2110
	1560	2160	1440	2100	1560	2160	1560	2160
	1760	2110	1640	2045	1760	2110	1760	2110
	1760	2160	1640	2100	1760	2160	1760	2160
	1960	2110	1840	2045	1960	2110	1960	2110
	1960	2160	1840	2100	1960	2160	1960	2160
	2120	2110	2000	2045	2120	2110	2120	2110
	2120	2160	2000	2100	2120	2160	2120	2160

Standard measurements in millimeters. Possibility of other measurements on request.

